




ABRASIVE SOLUTION PRODUCTS CATALOGUE 2023

📍 Address: 1406, tower 20, jianhua jiulongwan (phase 4) huaian district, huaian city, China

📞 WhatsApp: +86 13575798844

✉ E-mail: info@sand-champ.com

🌐 <https://www.sand-champ.com>






SANDCHAMP offers a number of standard hole configuration discs in a variety of abrasives types for all applications found in the bodyshop from heavy sanding to fine finishing. We offer a wide range products from Economic, Medium to Premium, our products can be used for common application, automotive aftermarket and also for industry application






ABOUT US

SANDCHAMP is a Professional Abrasive Brand belong to Huaian Hohua Industrial Tech Co., Ltd, who offers a full line of abrasives solutions for all applications and materials.Hohua have the whole production equipments and with a strong technology team to offer the innovation,to meet every customers requirements.With many years effort,Hohua has built the mature production line ,and strict inpection standard to control the quality,responsible for each customers. Hohua people always believe" Innovation makes possible".We keep the mind to improve the products be better and better.Our mission is to offer the excellent quality products and services at the most competitive pricing to our customers, in order to help them the great return on their markets.



INNOVATION MAKES POSSIBLE



CATALOG

ABRASIVE


SANDING DISCS	01
FIBER DISCS	07
FLAP DISCS	08
NON WOVEN HAND PAD	10
BRISTLE DISC	10
STIRP DISC	11

MASKING

MASKING TAPE	12
MASKING FILM	13

ACCESSORIES

PAINT SYSYTEM CUPS TPS 2.0	14
PAINT & MIXING CUPS	15
OTHERS	17



Sandchamp Material Construction

Aluminum Oxide


Aluminum Oxide is a tough, durable mineral. Aluminum Oxide is the most widely used abrasive in sanding applications today because it offers a good cut rate and durability. It can be used in applications from cutting to polishing and fine finish. Used on work pieces including metal (ferrous and non-ferrous), wood (soft and hard), plastics and leathers.

Zirconia Alumina

Zirconia Alumina fractures frequently to continually produce sharp points as it wears, delivering a faster cut-rate than silicon carbide. As a synthetic mineral, it was developed for rapid stock removal and high pressure grinding.

Ceramic Alumina

Ceramic Alumina abrasive grain is a tough, durable mineral. The mineral resists fracturing which attributes to extended abrasive life while still providing a consistent finish. Can be used on wood and ferrous metals in applications requiring cutting all the way to fine finishing.



PRO PLUS PURPLE DISC

Item-NO.: SK-910 **Size:** 5" or 6" PSA /Velcro Discs
Desc: Pro Plus purple disc **Material:** Ceramic/Aluminum Oxide



PRODUCT DETAILS

SK-910 is made with premium ceramic grain, it is extremely hardness & fast cutting efficiency, top product with self-sharpening effect for sanding, very high stock removal, cool grinding characteristics maximise intervention time. Besides, open coat construction and anti-loading zinc stearate coating prevents dust and debris from clogging the cutting

Backing	Flexible film backing
Bonding	Resin over Resin
Grain	Ceramic/Aluminum Oxide
Grit	60-800
Application	automotive ,transportation,mining, shipbuilding, foundries, construction, welding, fabrication, petrochemical
Available	5"6" PSA/Velcro Discs



PURPLE CERAMIC DISC

Item-NO.: SK-909

Size: 5" or 6" PSA/Velcro Discs

Desc: Purple Ceramic Disc Paper Backing **Material:** Ceramic /Aluminium Oxide



PRODUCT DETAILS

SK-909 is made with premium ceramic grain, it is extremely hardness & fast cutting efficiency, top product with self-sharpening effect for sanding, very high stock removal, cool grinding characteristics maximise intervention time. Besides, open coat construction and anti-loading zinc stearate coating prevents dust and debris from clogging the cutting

Backing	Flexible paper backing
Bonding	Resin over Resin
Grain	Ceramic/Aluminum Oxide
Grit	60-800
Application	automotive ,transportation,mining, shipbuilding, foundries, construction, welding, fabrication, petrochemical
Available	5"6" PSA/Velcro Discs



PRO GREEN VELCRO DISC

Item-NO.: SK-908

Size: 5" or 6" PSA/Velcro Discs

Desc: Pro Green Velcro disc **Material:** Aluminum Oxide/Zirconia



PRODUCT DETAILS

SK-908 is made with super coated aluminum oxide corundum that's fused with zirconia alumina. Discs have an extra-tough polyester film backing. It delivers a fast, exceptionally long-lasting sharp cut with a consistent scratch pattern. It has maximum resistance to clogging and loading to reducing material consumption and increase product life.

Backing	Flexible film backing
Bonding	Resin over Resin
Grain	Aluminum Oxide/Zirconia
Grit	60-2000
Application	auto refinishing, wood furniture making, metal sanding, crafting, household,plastics.
Available	5" or 6" PSA/Velcro Discs

GOLD VELCRO DISC

Item-NO.: SK-904

Size: 5" or 6" PSA /Velcro Discs/Rolls

Desc: Gold Velcro Disc

Material: Semi-friable Aluminum Oxide



PRODUCT DETAILS

SK-904 is made with fused alumina grain to increase durability and sharpness, provides efficient and long-lasting sanding. With special craftsmanship to improve the wear resistance and softness for sandpaper, make sandpaper not easy breakable and more durable.

Backing	C -wt paper
Bonding	Resin over Resin
Grain	Semi-friable Aluminum Oxide
Grit	60-1200
Application	Auto refinishing, wood furniture making, metal sanding, craftir
Available	5"or 6"PSA /Velcro Discs/Rollss

PSA WITH EAR

Item-NO.:SK-905

Size: 5" / 6"

Desc: PSA with ear

Material: Semi-friable Aluminum Oxide



PRODUCT DETAILS

SK-905 is self adhesive sanding disc features Aluminum Oxide grains with a non-loading stearate to extend the useful life of the disc. These sticky back sanding discs are manufactured with heavy duty C-weight backing to resist tearing and further extend the life of each disc. The full resin bond, load resistant stearate, and ultra durable paper back allows these discs to provide an excellent finish, fast cutting and long life. High-performance 5 " or 6" sandpaper discs that have an easy-to-pull tab for peeling off the backing layer that protects the discs PSA pressure-sensitive adhesive from getting contaminated.

Backing	C -wt paper
Bonding	Resin over Resin
Grain	Semi-friable Aluminum Oxide
Grit	60-1200
Application	Auto Refinishing,wood furniture making,metal sanding,drywall,industrial, fiberglass,plastics
Available	5" or 6" PSA

PSA WITH EAR (PURPLE)

Item-NO.: SK-906

Size: 5" / 6"

Desc: PSA with ear (Purple)

Material: Ceramic/Aluminum Oxide



PRODUCT DETAILS

SK-906 is self adhesive sanding disc features Ceramic/Aluminum Oxide grains with a non-loading stearate to extend the useful life of the disc. These sticky back sanding discs are manufactured with heavy duty C-weight backing to resist tearing and further extend the life of each disc. The full resin bond, load resistant stearate, and ultra durable paper back allows these discs to provide an excellent finish, fast cutting and long life. High-performance 5" or 6" sandpaper discs that have an easy-to-pull tab for peeling off the backing layer that protects the discs PSA pressure-sensitive adhesive from getting contaminated.

PURPLE VELCRO ROLL

Item-NO.: SK-912

Size: 70mm*70mm*12M

Desc: Purple Velcro Roll

Material: Ceramic/Aluminum Oxide



PRODUCT DETAILS

Made with premium ceramic grain,it is extremely hardness & fast cutting efficiency, top product with self-sharpening effect for sanding, very high stock removal, cool grinding characteristics maximise intervention time . Besides, open coat constructionand anti-loading zinc stearate coating prevents dust and debris from clogging the cutting

A/O RESIN FIBER DISCS



Item-NO.: SK-610
 Desc: A/O Resin Fiber Discs
 Size: 4.5" , 5" , 7"
 Material: aluminium oxide

Premium Aluminium Oxide Fibre Discs

FEATURES

- Heat-treated aluminium oxide grain
- 0.8mm fibre backing
- Full resin bond system
- Available grit range P24-P120
- Available size : 4.5" , 5" , 7"

BENEFITS

- Fast initial cut
- Strong yet flexible
- Long life
- Universal product

ZIRCONIA RESIN FIBER DISCS



Item-NO.: SK-611
 Desc: Zirconia Resin Fiber Discs
 Size: 4.5" , 5" , 7"
 Material: zirconia

Premium Zirconia Fibre Discs

FEATURES

- Premium zirconia grain
- 0.8mm fibre backing
- Full resin bonding system
- Active cooling agents
- Available grit range P24 to P120
- Available size : 4.5" , 5" , 7"

BENEFITS

- Fast cutting capacity
- Strong yet flexible
- Extra long life
- Cool cut
- Coarse to fine sanding

PREMIUM CERAMIC FIBRE DISCS



Item-NO.: SK-612
 Desc: Premium Ceramic Fibre Discs
 Size: 4.5" , 5" , 7"
 Material: Ceramic

It is ceramic abrasives with self sharpening and high removal performance. It can keep powerful cutting and grinding ,it had very long life.

FEATURES

- New ceramic abrasive
- Supersize grinding aid
- Improved resin bond system
- 0.80mm improved fibre backing
- Available grit range P24 to P120
- Available size : 4.5" , 5" , 7"

BENEFITS

- Exceptionally high performance
- High material removal even at low pressure
- Generates an excellent surface finish
- Minimises heat, loading and glazing on stainless, titanium and super alloys
- Improved grain retention for longer life
- Exceptionally long life and durability
- Coarse to fine sanding

A/O FLAP DISC

Item-NO.: SK-630
 Desc: A/O Flap Disc
 Size: 4.5" ,5" ,7"
 Material: aluminium oxide

FEATURES

- Durable aluminium oxide abrasive grain
- Heavy cotton cloth
- Double flap disc construction
- Fibreglass backing
- Grit range P36 to P120
- available size : 4.5" ,5" ,7"

BENEFITS

- Fast initial cut rate especially on carbon steel



CERAMIC FLAP DISC

Item-NO.: SK-632
 Desc: Ceramic Flap Disc
 Size: 2" ,3" 4" ,4.5" 5" ,7"
 Material: Ceramic

FEATURES

- Latest generation ceramic alumina abrasive grain
- Y-weight polyester backing
- New resin system for high grain retention
- 3rd layer supersize treatment
- Available grit range P24 to P100
- Available size :2" ,3" 4" ,4.5" 5" ,7"

BENEFITS

- Very aggressive and consistent cut rate
- High and fast stock removal
- Maximum and long lasting performance
- Advanced cooling system
- Coarse to fine sanding



ZIRCONIA FLAP DISC


Item-NO.: SK-631 Size: 2" ,3" 4" ,4.5" 5",7"
 Desc: Zirconia Flap Disc Material: zirconia flap disc

FEATURES

- 100% high performance zirconia alumina abrasive grain
- Specifically engineered heavy cloth optimized for controlled wear characteristics
- Durable innovative bond system
- Available grit range P36 to P120
- available size :2" ,3" 4" ,4.5" 5",7"

BENEFITS

- Fast and consistent cut
- Best for mid/heavy duty application
- Increased life time and cut renewal
- Low vibration
- Coarse to fine sanding



ZIRCONIA FLAP DISC

Item-NO.: SK-633 Size: 4.5" x 7/8"
 Desc: Surface Conditioning Flap Discs Material: nylon

FEATURES

- Layered flaps of surface conditioning material
- Compliments flap and fibre discs in work of process

BENEFITS:

- Quick durable blending and finishing of uneven surfaces
- Ideal for cleaning and light de-burring the blending and finishing TIG-weld seams on stainless steel

Applications:

- Grinding, blending, finishing
- Deburring
- Deflashing
- Edge chamfering
- Stock removal

Available Variations:

- Fine (280 - 360 Grit) - Blue
- Medium (120 - 180 Grit) - Maroon
- Coarse (60 - 80 Grit) - Brown



NON WOVEN HAND PAD

Item-NO.: : SK-707 Size: customize
 Desc: Non Woven Hand Pad Material: nylon



PRODUCT DETAILS

Our products consist of a non-woven web of nylon, impregnated with abrasive grain bonded with synthetic resins. This produces a cushioned, threedimensional material which is extremely pliable and long lasting. The uniform dispersion of abrasive throughout the web provides a constant finish during use. Our products are available in popular shapes and a wide variety of grits and densities.

FEATURES:

- Aluminum oxide (A) or silicon carbide grain (S)
- Open mesh construction
- Flexible
- Waterproof
- Available in pads, rolls and discs
- Grades coarse, medium, fine and ultra fine

BENEFITS:

- Resists loading
- Waterproof and washable material that can be used wet or dry applications
- Uniform and consistent finishing on contoured or uneven surfaces
- Open web design results in cooler working temperatures

Bristle Disc

Item-NO.: : SK-888

Green 50# grit Yellow 80# grit

- Used on hard metal like steel.

White 120# grit -

Used on soft metal such as aluminum.

Various grit will meet your different needs. Use for deburring, blend, finish, polish, clean, and remove coatings more effectively, with less pressure than wire brushes. Flexible bristles require less pressure than wire brushes, provide more surface contact than wire brushes, and maintains abrasive property throughout the life of the disc. can be used with most multi-function tools, such as electric drill, mini grinders, and rotary tools.



BLACK STRIP DISC



Item-NO.: SK-622
Desc: Black Strip Disc
Size: 2",3",4",4.5", 5",7"
Material: nylon fibre

BLUE STRIP DISC



Item-NO.: SK-623
Desc: Blue Strip Disc
Size: 2",3",4",4.5", 5",7"
Material: nylon fibre

PURPLE STRIP DISC



Item-NO.: SK-624
Desc: Purple Strip Disc
Size: 2",3",4",4.5", 5",7"
Material: nylon fibre Inquiry

NON WOVEN ABRASIVE DRUMS



Item-NO.: SK-708
Desc: Non Woven Abrasive Drums
Size: 4.5" x 4 "
Material: open weave of fibers

MASKING TAPE

Item-NO.: SK-324 **Size:** 18/24/36/48mm x 50m
Desc: Masking Tape **Material:** nature rubber / crepe paper

PRODUCT DETAILS

Masking Tape

Characteristics:

Premium high temp tape is designed to eliminate bleed-through or seepage and leave no residue when removed. Ideal for oven baked automotive spray painting applications.

The tape does not break when peeling off, therefore, provides quick & efficient removal saving you time & reduces downtime on the worksite.

Specifications:

Temp : 80~100 °C @ 1 Hour	Elongation:7-10%
Thickness :145~165 micron	Backing : Coarse Crepe
Adhesion to Steel :1.57~3.3N/cm	Adhesive: Natural Rubber
Tensile Strength: 29.4~43 N/cm	



PREMIUM MASKING TAPE

Item-NO.: SK-323 **Size:** 18/24/36/48mm x 50m
Desc: Premium Masking Tape **Material:** nature rubber / crepe paper

PRODUCT DETAILS

Premium Masking Tape

Characteristics:

Premium high temp tape is designed to eliminate bleed-through or seepage and leave no residue when removed. Ideal for oven baked automotive spray painting applications.

The tape does not break when peeling off, therefore, provides quick & efficient removal saving you time & reduces downtime on the worksite.

Specifications:

Temp : 120 °C @ 1 Hour	Waterproof
Adhesive: Natural Rubber	UV 3 days



FINE LINE TAPE

Item-NO.: SK-321 Size: 3mm x 33m & 6mm x 33m
 Desc: Fine Line Tape Material: PVC

PRODUCT DETAILS

- 1.DESIGNED FOR FINE LINE AND CRITICAL PAINT MASKING
- 2.HIGH TEMPERATURE PAINT MASKING TAPE
- 3.SEMI-TRANSLUCENT INDIGO BACKING
- 4.UNIQUE STRETCH PROPERTIES
- 5.QUICK STICK



VHB TAPE

Item-NO.: SK-322 Size: 6MM/12MM or customized
 Desc: VHB Tape Material: VHB

PRODUCT DETAILS

- 1.High strength and durable
- 2.Good UV , solvent and weather resistance
- 3.Excellent cohesion strength
- 4.Good shock absorption



MASKING FILM

Item-NO.: SK-325 Size: Customize
 Desc: Masking Film Material: PE

PRODUCT DETAILS

Masking Film protect the no painting parts . Widely used for auto, wall, big machine,ship,car's cabin, container and so on.

- 1.After corona treatment, it absorbs surface very well.
- 2.Absorb the paint, avoid polluting and hurting.
- 3.Advanced folding method, good appearance and convenient for carrying.
- 4.Customer's logo could be printed on film. Common content is "PAINT THIS SIDE"




PAINT SYSTEM CUPS TPS 2.0

Item-NO.: SK-848
 Desc: TPS 2.0 Paint Preparation System
 Size: 100ML 200ML 400ML 650ML 850ML
 Material: PP & PE

PRODUCT DETAILS

- 1.New Design wider nozzle provides faster & smoother flow,easier lock in&out,and stronger hold to spray gun.
- 2.Lids are produced by one-piece molding tech sure 100% no-leakage in anywhere and any angle.
- 3.New Design collar,provides more convenient & stable lock.
- 4.Softner & more transparent liner,reducing the remains of paint,and for easier observation.
- 5.Stronger and more transparent outer cup,provides painting & mixing 2 in 1,clear scale print for more accurate calibration.



TOUCH-UP BOTTLE



Item-NO.: SK-733
Desc: Touch-Up Bottle
Size: 30ml / 60ml
Material: PP

PAINT PAPER STRAINER



Item-NO.: SK-734
Desc: Paint Paper Strainer
Size: 190mic / 125 mic
Material: Nylon Mesh / 150g Paper

PAINT MIXING CUP

Item-NO.: SK-822 **Size:** 400ML/680ML/1300ML/2300ML/5L
Desc: Paint Mixing Cup with Lid **Material:** PP

PRODUCT DETAILS

- High Quality Paint Mixing Cups with Lid
 Available size :400ML/680ML/1300ML/2300ML/5L
1. Leakproof
 2. Unbreakable
 3. High quality material
 4. High Accuracy
 5. High transparent



PLASTIC PAINT STIRRING



Item-NO.: SK-723
Desc: Plastic Paint Stirring
Size: 20cm / 40cm
Material: PP

TOUCH-UP PEN



Item-NO.: SK-734
Desc: Touch-Up Pen
Size: 20ml
Material: PP & PE

PAINT MIXING CUPS (LIGHT)

Item-NO.: SK-821 **Size:** 600cc / 1000cc
Desc: Paint Mixing Cups (light) **Material:** PP

PRODUCT DETAILS

1. Capacity: 1000CC / 600CC
2. Material: PP
3. 2 colors scale print
4. with customized logo print



MICROFIBER CLOTH A



Item-NO.: SK-501
 Desc: Microfiber Cloth A
 Size: 40x40cm or customized
 Material: 80% polyester,20% polyamide

MICROFIBER CLOTH B



Item-NO.: SK-502
 Desc: Microfiber Cloth B
 Size: 40x40cm or customized
 Material: 80% polyester,20% polyamide

FOAM WAFFLE POLISHING PADS



Item-NO.: SK-814
 Desc: Foam Waffle Polishing Pads
 Size: customized
 Material: Foam Waffle

WOOL PADS



Item-NO.: SK-813
 Desc: Wool Pads
 Size: customized
 Material: 100% Wool Hook

MICROFIBER CLOTH C



Item-NO.: SK-503
 Desc: Microfiber Cloth C
 Size: 40x40cm or customized
 Material: coral fleece

PAINT SYSTEM CUPS-TPS 1.0



Item-NO.:SK-849
 Paint System Cups-TPS 1.0
 Size:200/400/600/800ml

RESIN FIBER DISC BACKING PAD



Item-NO.: SK-812
 Desc: Resin Fiber Disc Backing Pad
 Size: Customized
 Material: rigid polypropylene plastic

INTERFACE PAD



Item-NO.: SK-811
 Desc: Interface Pad
 Size: 75mm / 50mm / 125mm / 150mm
 Material: foam